



Precision accessories MFG.CORP



NTN UCFX20-315D1 Flange Block Bearings

Bearing No. UCFX20-315D1

UCFX20-315D1 Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	17.015
EAN	4547359502022
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Set Screw
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1 Inch
Relubricatable	Yes
Insert Part Number	UCX20-315D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Square Flange Block; 3-15/16" Bore; 11.7" Bolt Circle; 8-5/16" Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 4.626" Length Thru Bore; Relubricatable
Other Features	Single Row Medium Duty



Precision accessories MFG.CORP

	Wide Inner Race Has Flinger
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UCFX20-315D1
Weight / LBS	37
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Nominal Bolt Circle Diameter Round	11.7 Inch 297.2 Millimeter
d	3.938 Inch 100.025 Millimeter
D	4.626 Inch 117.5 Millimeter
Bolt Spacing	8.313 Inch 211.15 Millimeter
bore diameter:	3.9375 in
radial dynamic load capacity:	29910 lb
bolt center-to-center length:	8.3125 in
radial static load capacity:	23620 lb
overall length/diameter:	10.5625 in
seal type:	Contact with Flinger
bore type:	Round
length through bore:	5-1/64 in
duty type:	Medium Duty
finish/coating:	Uncoated
mounting type:	Four-Bolt Flange
lubrication type:	Lubrication Fitting
housing material:	Cast Iron



Precision accessories MFG.CORP

series:	UCFX
locking device:	Set Screw
standards met:	ISO, AFBMA
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UCX20-315D1