



Precision accessories MFG.CORP



SKF FYR 2.7/16 H Flange Block Bearings

Bearing No. FYR 2.7/16 H

FYR 2.7/16 H Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	7.95
EAN	7316576664335
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Concentric Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	5/8 Inch
Relubricatable	Yes
Insert Part Number	22213
Seals	Trigard
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Round Flange Block; 2-7/16" Bore; 6.8" Bolt Circle; 4.8" Bolt Spacing; 1 Piece Solid; Concentric Collar Mount; Cast Iron; Spherical Roller Bearing; 3-3/8" Length Thru Bore;
Other Features	Double Row Heavy Duty



Precision accessories MFG.CORP

	Open End With Set Screw
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	FYR 2.7/16 H
Weight / LBS	17.5
Bolt Spacing	4.8 Inch 121.2 Millimeter
D	3.375 Inch 85.725 Millimeter
d	2.438 Inch 61.925 Millimeter
Nominal Bolt Circle Diameter Round	6.8 Inch 171.5 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
bore diameter:	2-7/16 in
locking device:	Set Screw
bolt center-to-center length:	6.7500 in
expansion type:	Non-Expansion Bearing (Fixed)
bolt circle diameter:	6-3/4 in
seal type:	Contact/Lip
overall length/diameter:	8.1250 in
overall depth:	3-1/2 in
flange mounting type:	Four-Bolt Round
radial dynamic load capacity:	33300 lb
bearing type:	Spherical Roller
radial static load capacity:	41100 lb
housing construction:	Solid Flange Mount
operating temperature	Maximum of +110 ° F ° F



Precision accessories MFG.CORP

range:	
bore type:	Round
finish/coating:	Uncoated
duty type:	Standard Duty
lubrication type:	Lubrication Fitting
housing material:	Cast Iron
series:	222