



Precision accessories MFG.CORP



RCJ1 3/8 Bearing 2D drawings and 3D CAD models

TIMKEN RCJ1 3/8 Flange Block Bearings

Bearing No. RCJ1 3/8

| | |
|---------------------------|--|
| Category | Flange Block Bearings |
| Inventory | 20.0 |
| Manufacturer Name | TIMKEN |
| Minimum Buy Quantity | N/A |
| Weight | 1.79 |
| EAN | 0087796058873 |
| Product Group | M06110 |
| Number of Mounting Holes | 4 |
| Mounting Method | Eccentric Collar |
| Housing Style | 4 Bolt Square Flange Block |
| Rolling Element | Ball Bearing |
| Housing Material | Cast Iron |
| Expansion / Non-expansion | Non-expansion |
| Mounting Bolts | 33/64 Inch |
| Relubricatable | Yes |
| Insert Part Number | G1106KRRB |
| Seals | Double Land Riding Rubber Contact |
| Housing Configuration | 1 Piece Solid |
| Pilot Configuration | No Pilot |
| Inch - Metric | Inch |
| Long Description | 4 Bolt Square Flange Block; 1-3/8" Bore; 5.1" Bolt Circle; 3-5/8" Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 1-31/64" Length Thru Bore; Relubrica |
| | |



Precision accessories MFG.CORP

| | |
|--|---|
| Other Features | Single Row Normal Duty With Set Screw |
| Category | Flange Block |
| UNSPSC | 31171501 |
| Harmonized Tariff Code | 8483.20.40.40 |
| Noun | Bearing |
| Keyword String | Flanged |
| Manufacturer URL | http://www.timken.com |
| Manufacturer Item Number | RCJ 1 3/8 |
| Weight / LBS | 3.94 |
| d | 1.375 Inch 34.925 Millimeter |
| Cartridge Pilot Diameter | 0 Inch 0 Millimeter |
| Bolt Spacing | 3.625 Inch 92.08 Millimeter |
| Nominal Bolt Circle Diameter Round | 5.1 Inch 130 Millimeter |
| Cartridge Pilot Depth | 0 Inch 0 Millimeter |
| D | 1.484 Inch 37.7 Millimeter |
| Shaft Size d | 1 3/8 in |
| Dimension D | 3.500 in |
| Dimension E | 2.106 in |
| Inside Ring Outside Diameter | 2.110 in |
| Series | Industrial |
| Weight | 3.94 lb |
| Seal Type | Shroud Seal |
| Total Length L | 117.5 mm |
| Housing Width A | 1.252 in |
| Bolt Hole Spacing J | 92.1 mm |
| Bolt Hole Size N | 12 mm |
| Flange Thickness A1 | 13.5 mm |
| Center of Bearing from Housing End A2 | 21 mm |
| | |



Precision accessories MFG.CORP

| | |
|--------------------------------------|----------------------------------|
| Inside Ring Width B | =Bearings1_Inside Ring Width= mm |
| Bolt Size | M12 |
| Center of Bearing from Bearing End S | 21 mm |
| Static Load Rating | 3440 lbf |
| Dynamic Load Rating | 6400 lbf |